

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB031225\  
Data File : FB031590.D  
Signal(s) : FID2B.CH  
Acq On : 12 Mar 2025 13:17  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB030625.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.722       | 4.565        | 4.891      | BV       | 14274          | 1077571      | 84.28%         | 14.653%       |
| 2         | 7.423       | 7.226        | 7.641      | VV       | 14024          | 1235185      | 96.61%         | 16.796%       |
| 3         | 7.755       | 7.641        | 7.823      | VV       | 6546           | 370589       | 28.99%         | 5.039%        |
| 4         | 7.894       | 7.823        | 8.122      | VV       | 8176           | 459271       | 35.92%         | 6.245%        |
| 5         | 8.793       | 8.597        | 9.074      | PV       | 7053           | 414654       | 32.43%         | 5.638%        |
| 6         | 10.622      | 10.506       | 10.958     | VV       | 23662          | 1278538      | 100.00%        | 17.385%       |
| 7         | 13.059      | 12.929       | 13.120     | PV       | 7766           | 371455       | 29.05%         | 5.051%        |
| 8         | 13.193      | 13.120       | 13.480     | VV       | 15314          | 814224       | 63.68%         | 11.072%       |
| 9         | 13.920      | 13.747       | 14.065     | BV       | 14869          | 765753       | 59.89%         | 10.413%       |
| 10        | 16.196      | 16.069       | 16.369     | BV       | 12770          | 566817       | 44.33%         | 7.708%        |

Sum of corrected areas: 7354057

FB030625.M Thu Mar 13 02:01:04 2025