

Instrument :

FID_B

ClientSampleId :

BOOM-030923

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB03142

Data File : FB029484.D

Signal(s) : FID2B.CH

Acq On : 14 Mar 2023 17:19

Sample : 01892-01 1000X

Misc :

ALS Vial : 17 Sample Multiplier: 1

Reviewed By :Yogesh Patel 03/15/2023

Supervised By :Ankita Jodhani 03/15/2023

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030123.M

Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.563	4.743	PV	46	1713	0.03%	0.010%
2	4.766	4.743	4.774	VV	19	284	0.01%	0.002%
3	4.799	4.774	4.815	PV	16	246	0.00%	0.001%
4	5.140	5.130	5.152	VV	18	174	0.00%	0.001%
5	5.188	5.152	5.196	PV	23	210	0.00%	0.001%
6	5.210	5.196	5.222	VV	25	180	0.00%	0.001%
7	5.490	5.479	5.500	VV	22	200	0.00%	0.001%
8	5.510	5.500	5.529	VV	16	139	0.00%	0.001%
9	5.671	5.529	5.680	PV	20	395	0.01%	0.002%
10	5.746	5.680	5.755	PV	28	508	0.01%	0.003%
11	5.788	5.755	5.792	VV	18	377	0.01%	0.002%
12	5.801	5.792	5.812	VV	14	119	0.00%	0.001%
13	5.832	5.812	5.854	PV	23	316	0.01%	0.002%
14	6.013	5.854	6.020	VV	15	1120	0.02%	0.007%
15	6.047	6.020	6.062	PV	41	467	0.01%	0.003%
16	6.210	6.062	6.218	VV	23	645	0.01%	0.004%
17	6.341	6.218	6.351	VV	17	695	0.01%	0.004%
18	6.391	6.351	6.400	VV	14	260	0.00%	0.002%
19	8.350	6.964	8.361	VV	2207	837161	15.74%	4.953%
20	8.543	8.361	8.556	VV	2339	265556	4.99%	1.571%
21	8.579	8.556	8.587	VV	2324	43105	0.81%	0.255%
22	8.595	8.587	8.632	VV	2313	61210	1.15%	0.362%
23	8.665	8.632	8.672	VV	2275	55270	1.04%	0.327%
24	8.801	8.672	9.314	VV	6490	822394	15.47%	4.866%
25	9.322	9.314	9.327	VV	496	3743	0.07%	0.022%
26	9.927	9.728	9.948	VV	658	64059	1.20%	0.379%
27	9.965	9.948	9.989	VV	631	15375	0.29%	0.091%
28	9.997	9.989	10.007	VV	578	5760	0.11%	0.034%
29	10.034	10.007	10.051	VV	579	15110	0.28%	0.089%
30	10.061	10.051	10.075	VV	556	7979	0.15%	0.047%
31	10.087	10.075	10.138	VV	531	18225	0.34%	0.108%
32	10.177	10.138	10.206	VV	473	18483	0.35%	0.109%
33	10.215	10.206	10.234	VV	435	6900	0.13%	0.041%
34	10.326	10.234	10.361	VV	728	43375	0.82%	0.257%
35	10.376	10.361	10.424	VV	577	19720	0.37%	0.117%
36	10.433	10.424	10.558	VV	437	15775	0.30%	0.093%

rteres									
37	11.010	10.558	11.030	PV	643	65243	1.23%	0.386%	
38	11.183	11.030	11.215	VV	1069	93477			
39	11.238	11.215	11.251	VV	1039	22629			
40	11.267	11.251	11.340	VV	987	48534			
41	11.349	11.340	11.359	VV	820	9328			
42	11.369	11.359	11.382	VV	812	10975			
43	11.429	11.382	11.454	VV	745	32390	0.61%	0.192%	
44	11.477	11.454	11.496	VV	713	17213	0.32%	0.102%	
45	11.550	11.496	11.562	VV	652	25830	0.49%	0.153%	
46	11.928	11.562	11.963	VV	4718	558595	10.50%	3.305%	
47	12.101	11.963	12.427	VV	5668	903915	17.00%	5.348%	
48	12.447	12.427	12.458	VV	53	750	0.01%	0.004%	
49	12.776	12.458	12.943	VV	7891	634896	11.94%	3.756%	
50	14.202	13.668	14.362	VV	16931	2687999	50.55%	15.903%	
51	14.815	14.513	14.996	PV	36561	5317764	100.00%	31.462%	
52	15.076	14.996	15.356	VV	46266	2959120	55.65%	17.507%	
53	15.514	15.356	15.595	PV	14093	870046	16.36%	5.147%	
54	15.699	15.595	15.728	VV	5419	316398	5.95%	1.872%	
Sum of corrected areas:					16902351				

Instrument :
FID_B
ClientSampleId :
BOOM-030923

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/15/2023
Supervised By :Ankita Jodhani 03/15/2023

FB030123.M Wed Mar 15 06:06:04 2023