

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031522\
Data File : FB026688.D
Signal(s) : FID2B.CH
Acq On : 15 Mar 2022 14:00
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.541	4.855	PV	7240	547539	86.92%	14.626%
2	7.427	7.232	7.632	PV	6713	588052	93.35%	15.708%
3	7.750	7.632	7.816	VV	3580	193786	30.76%	5.176%
4	7.885	7.816	8.009	VV	4398	225203	35.75%	6.016%
5	8.790	8.658	8.995	BV	4170	229695	36.46%	6.136%
6	10.618	10.445	10.770	PV	13843	629918	100.00%	16.827%
7	13.055	12.939	13.117	VV	4392	191353	30.38%	5.112%
8	13.188	13.117	13.329	VV	8734	382411	60.71%	10.215%
9	13.915	13.749	14.047	BV	8504	374738	59.49%	10.010%
10	16.191	16.081	16.319	BBA	9111	380871	60.46%	10.174%

Sum of corrected areas: 3743565

FB030822.M Wed Mar 16 10:31:33 2022