

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031622\
Data File : FB026689.D
Signal(s) : FID2B.CH
Acq On : 16 Mar 2022 15:07
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.708	4.533	4.855	BV	6812	534382	86.09%	14.524%
2	7.437	7.221	7.638	PV	6481	584243	94.12%	15.879%
3	7.749	7.638	7.817	VV	3464	187053	30.13%	5.084%
4	7.886	7.817	8.018	VV	4307	219090	35.30%	5.955%
5	8.790	8.569	8.978	BB	4041	223700	36.04%	6.080%
6	10.619	10.323	10.835	PV	13496	620730	100.00%	16.871%
7	13.056	12.572	13.117	PV	4319	192330	30.98%	5.227%
8	13.189	13.117	13.373	VV	8541	376017	60.58%	10.220%
9	13.916	13.780	14.033	BV	8328	368710	59.40%	10.021%
10	16.191	16.062	16.319	BBA	8893	373079	60.10%	10.140%

Sum of corrected areas: 3679335

FB030822.M Fri Mar 18 10:40:20 2022