

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031622\
Data File : FB026715.D
Signal(s) : FID2B.CH
Acq On : 17 Mar 2022 11:03
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.531	4.856	BV	7067	536882	84.49%	14.452%
2	7.433	7.233	7.631	PV	6522	576805	90.77%	15.526%
3	7.751	7.631	7.818	VV	3586	192917	30.36%	5.193%
4	7.887	7.818	8.017	VV	4409	224138	35.27%	6.033%
5	8.792	8.653	8.981	BV	4030	221915	34.92%	5.973%
6	10.620	10.468	10.756	PV	13933	635462	100.00%	17.105%
7	13.057	12.938	13.118	VV	4443	192964	30.37%	5.194%
8	13.189	13.118	13.351	VV	8806	385076	60.60%	10.365%
9	13.916	13.748	14.077	PV	8468	375028	59.02%	10.095%
10	16.191	16.062	16.319	BBA	8995	373855	58.83%	10.063%

Sum of corrected areas: 3715042

FB030822.M Fri Mar 18 10:35:39 2022