

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031720\
Data File : FB023967.D
Signal(s) : FID2B.CH
Acq On : 17 Mar 2020 10:38
Sample : BSF0317S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030520.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.686	4.528	4.818	BV	14006	980932	74.12%	13.235%
2	7.413	7.203	7.622	VV	13664	1143309	86.39%	15.426%
3	7.754	7.622	7.820	VV	6695	366699	27.71%	4.948%
4	7.888	7.820	8.080	VV	8571	451322	34.10%	6.089%
5	8.795	8.625	8.976	BV	7847	439864	33.24%	5.935%
6	10.627	10.512	10.793	VV	28374	1323422	100.00%	17.856%
7	13.067	12.909	13.128	BV	9596	419104	31.67%	5.655%
8	13.200	13.128	13.374	VV	18365	814453	61.54%	10.989%
9	13.928	13.802	14.041	VV	17598	783880	59.23%	10.576%
10	16.205	16.065	16.334	VV	16293	688730	52.04%	9.292%

Sum of corrected areas: 7411715

FB030520.M Wed Mar 18 09:59:31 2020