

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB031723\  
Data File : FB029522.D  
Signal(s) : FID2B.CH  
Acq On : 17 Mar 2023 12:15  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB030123.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.716       | 4.512        | 4.868      | BV       | 5342           | 425383       | 69.29%         | 12.390%       |
| 2         | 7.429       | 7.216        | 7.626      | PV       | 5926           | 503623       | 82.04%         | 14.669%       |
| 3         | 7.757       | 7.626        | 7.823      | VV       | 3163           | 171017       | 27.86%         | 4.981%        |
| 4         | 7.894       | 7.823        | 8.011      | VV       | 4163           | 211082       | 34.38%         | 6.148%        |
| 5         | 8.799       | 8.657        | 8.968      | VV       | 4518           | 247480       | 40.31%         | 7.208%        |
| 6         | 10.627      | 10.519       | 10.819     | VV       | 13490          | 613892       | 100.00%        | 17.881%       |
| 7         | 13.064      | 12.943       | 13.125     | BV       | 4406           | 189214       | 30.82%         | 5.511%        |
| 8         | 13.197      | 13.125       | 13.374     | VV       | 8645           | 378019       | 61.58%         | 11.010%       |
| 9         | 13.924      | 13.803       | 14.034     | VV       | 8235           | 362601       | 59.07%         | 10.561%       |
| 10        | 16.199      | 16.088       | 16.330     | PV       | 7936           | 330954       | 53.91%         | 9.640%        |

Sum of corrected areas: 3433265

FB030123.M Fri Mar 17 17:25:39 2023