

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031822\
Data File : FB026738.D
Signal(s) : FID2B.CH
Acq On : 18 Mar 2022 12:23
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.708	4.542	4.853	PV	6756	521140	87.30%	14.414%
2	7.432	7.232	7.626	PV	6823	587323	98.38%	16.244%
3	7.751	7.626	7.817	VV	3221	173098	29.00%	4.788%
4	7.887	7.817	8.020	VV	4071	207985	34.84%	5.752%
5	8.793	8.611	8.928	PV	3491	193304	32.38%	5.346%
6	10.620	10.495	10.785	VV	13081	596966	100.00%	16.511%
7	13.057	12.935	13.118	VV	4306	187260	31.37%	5.179%
8	13.190	13.118	13.368	VV	8615	378291	63.37%	10.463%
9	13.917	13.794	14.064	PV	8553	377846	63.29%	10.450%
10	16.192	16.068	16.319	BBA	9379	392399	65.73%	10.853%

Sum of corrected areas: 3615612

FB030822.M Tue Mar 22 14:13:10 2022