

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032122\
Data File : FB026757.D
Signal(s) : FID2B.CH
Acq On : 21 Mar 2022 19:33
Sample : 20 PPB GRO STD
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.708	4.550	4.836	VV	4800	362790	75.60%	13.309%
2	7.436	7.239	7.628	PV	4779	424680	88.49%	15.580%
3	7.750	7.628	7.816	VV	2397	129031	26.89%	4.734%
4	7.886	7.816	8.016	VV	3323	169915	35.41%	6.233%
5	8.791	8.611	8.928	PV	2513	138931	28.95%	5.097%
6	10.619	10.181	10.751	BV	10506	479901	100.00%	17.606%
7	13.055	12.822	13.116	PV	3341	148254	30.89%	5.439%
8	13.189	13.116	13.359	VV	6663	293025	61.06%	10.750%
9	13.915	13.796	14.055	BV	6790	300251	62.57%	11.015%
10	16.191	16.079	16.319	BBA	6638	279071	58.15%	10.238%

Sum of corrected areas: 2725848

FB030822.M Tue Mar 22 14:48:38 2022