

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032222\
Data File : FB026769.D
Signal(s) : FID2B.CH
Acq On : 22 Mar 2022 21:58
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.528	4.866	BV	6428	491866	75.26%	13.151%
2	7.429	7.197	7.629	PV	6490	569309	87.11%	15.221%
3	7.747	7.629	7.813	VV	3158	171089	26.18%	4.574%
4	7.883	7.813	8.004	VV	4569	232049	35.50%	6.204%
5	8.789	8.652	8.932	PV	4018	220839	33.79%	5.904%
6	10.616	10.474	10.796	VV	14334	653577	100.00%	17.474%
7	13.053	12.945	13.116	BV	4594	200536	30.68%	5.362%
8	13.185	13.116	13.366	VV	9127	401318	61.40%	10.730%
9	13.912	13.799	14.048	VV	8984	398829	61.02%	10.663%
10	16.189	16.062	16.319	BBA	9575	400807	61.33%	10.716%

Sum of corrected areas: 3740221

FB030822.M Wed Mar 23 03:34:15 2022