

rteres.txt  
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB032719\  
Data File : FB020374.D  
Signal(s) : FID2B.CH  
Acq On : 27 Mar 2019 9:12  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB032619.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.900       | 4.682        | 5.038      | BV       | 12336          | 888979       | 100.00%        | 17.632%       |
| 2         | 7.664       | 7.445        | 7.874      | PV       | 9290           | 791084       | 88.99%         | 15.690%       |
| 3         | 7.994       | 7.874        | 8.064      | VV       | 6531           | 353395       | 39.75%         | 7.009%        |
| 4         | 8.133       | 8.064        | 8.389      | VB       | 7221           | 372896       | 41.95%         | 7.396%        |
| 5         | 9.040       | 8.874        | 9.263      | BV       | 7392           | 406029       | 45.67%         | 8.053%        |
| 6         | 10.886      | 10.708       | 11.270     | BV       | 17775          | 814053       | 91.57%         | 16.146%       |
| 7         | 13.338      | 13.127       | 13.399     | BV       | 4591           | 198551       | 22.33%         | 3.938%        |
| 8         | 13.471      | 13.399       | 13.697     | VV       | 9139           | 404027       | 45.45%         | 8.013%        |
| 9         | 14.202      | 14.101       | 14.344     | BV       | 9111           | 399916       | 44.99%         | 7.932%        |
| 10        | 16.488      | 16.361       | 16.597     | PV       | 9887           | 412976       | 46.46%         | 8.191%        |

Sum of corrected areas: 5041909

FB032619.M Thu Mar 28 03:45:47 2019