

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB040220\
Data File : FB024049.D
Signal(s) : FID2B.CH
Acq On : 2 Apr 2020 14:18
Sample : BSF0402S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB032620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.691	4.530	4.825	PV	14778	1048129	77.22%	13.906%
2	7.418	7.222	7.629	PV	14014	1169430	86.16%	15.516%
3	7.759	7.629	7.825	VV	6955	381384	28.10%	5.060%
4	7.893	7.825	8.288	VB	8760	465643	34.31%	6.178%
5	8.800	8.625	9.015	BV	8700	487373	35.91%	6.466%
6	10.631	10.515	11.019	VV	28760	1357242	100.00%	18.008%
7	13.072	12.895	13.133	VV	9371	411199	30.30%	5.456%
8	13.205	13.133	13.468	VV	17974	798167	58.81%	10.590%
9	13.933	13.730	14.043	VV	17178	761785	56.13%	10.107%
10	16.211	16.090	16.352	VV	15546	656663	48.38%	8.713%

Sum of corrected areas: 7537015

FB032620.M Thu Apr 02 18:37:42 2020