

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB040422\
Data File : FB026821.D
Signal(s) : FID2B.CH
Acq On : 4 Apr 2022 19:24
Sample : 20 PPB GRO STD
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.531	4.853	BV	4727	374745	70.45%	11.737%
2	7.429	7.200	7.633	PV	5410	479099	90.07%	15.005%
3	7.748	7.633	7.812	VV	2124	114368	21.50%	3.582%
4	7.883	7.812	8.010	VV	3558	181656	34.15%	5.689%
5	8.790	8.650	9.042	BV	3539	196741	36.99%	6.162%
6	10.618	10.451	10.838	PV	11560	531933	100.00%	16.660%
7	13.055	12.959	13.117	VV	4061	178008	33.46%	5.575%
8	13.188	13.117	13.347	VV	8165	361369	67.94%	11.318%
9	13.915	13.807	14.050	PV	8421	373604	70.24%	11.701%
10	16.191	16.062	16.319	BBA	9707	401449	75.47%	12.573%

Sum of corrected areas: 3192972

FB030822.M Wed Apr 06 09:34:39 2022