

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB040425\
Data File : FB031628.D
Signal(s) : FID2B.CH
Acq On : 4 Apr 2025 14:27
Sample : BSF0404S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB032625.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.724	4.571	4.993	BV	11167	855533	67.08%	12.338%
2	7.421	7.191	7.637	PV	13176	1144598	89.75%	16.506%
3	7.755	7.637	7.822	VV	5934	336509	26.39%	4.853%
4	7.894	7.822	8.122	VV	7842	443162	34.75%	6.391%
5	8.792	8.567	8.988	BV	5347	309634	24.28%	4.465%
6	10.621	10.457	10.932	BV	23696	1275357	100.00%	18.392%
7	13.057	12.865	13.118	BV	7932	379743	29.78%	5.476%
8	13.191	13.118	13.438	VV	15714	830941	65.15%	11.983%
9	13.919	13.782	14.063	PV	15251	781440	61.27%	11.269%
10	16.194	16.077	16.403	PBA	13073	577389	45.27%	8.327%

Sum of corrected areas: 6934306

FB032625.M Sat Apr 05 01:04:47 2025