

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB040623\
Data File : FB029591.D
Signal(s) : FID2B.CH
Acq On : 6 Apr 2023 19:56
Sample : 02213-07
Misc : 4 PPB WATER LOD
ALS Vial : 15 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB032323.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.552	4.840	PV	1378	103036	42.97%	10.737%
2	7.434	7.245	7.576	PV	1432	117589	49.04%	12.253%
3	7.756	7.632	7.824	PV	712	38450	16.03%	4.007%
4	7.892	7.824	8.002	VV	865	44043	18.37%	4.589%
5	8.799	8.644	8.965	PV	4351	239792	100.00%	24.987%
6	10.627	10.534	10.744	VV	2917	131952	55.03%	13.750%
7	13.062	12.960	13.122	PV	950	41487	17.30%	4.323%
8	13.196	13.122	13.338	VV	1874	82744	34.51%	8.622%
9	13.922	13.808	14.010	PV	1800	81266	33.89%	8.468%
10	16.197	16.099	16.289	PV	1891	79310	33.07%	8.264%

Sum of corrected areas: 959668

FB032323.M Fri Apr 07 05:21:53 2023