

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB041122\
Data File : FB026951.D
Signal(s) : FID2B.CH
Acq On : 11 Apr 2022 11:07
Sample : BSF0411S1
Misc : 5.02G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040922.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.698	4.550	4.848	VV	2940	211562	97.58%	16.847%
2	7.413	7.216	7.606	PV	2599	216814	100.00%	17.265%
3	7.748	7.637	7.819	BV	1220	65501	30.21%	5.216%
4	7.883	7.819	8.010	VV	1266	63530	29.30%	5.059%
5	8.789	8.672	8.907	PV	1477	81264	37.48%	6.471%
6	10.615	10.501	10.721	PV	4091	185574	85.59%	14.777%
7	13.053	12.905	13.114	PV	1445	62920	29.02%	5.010%
8	13.186	13.114	13.304	VV	2818	124987	57.65%	9.953%
9	13.912	13.746	14.047	BV	2659	117164	54.04%	9.330%
10	16.188	16.037	16.305	PV	2997	126501	58.35%	10.073%

Sum of corrected areas: 1255817

FB040922.M Mon Apr 11 13:47:30 2022