

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB041320\
Data File : FB024129.D
Signal(s) : FID2B.CH
Acq On : 13 Apr 2020 7:48
Sample : BSF0413S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040820.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.691	4.522	4.823	BV	12298	869465	78.88%	13.888%
2	7.419	7.183	7.634	BV	11247	937407	85.05%	14.973%
3	7.759	7.634	7.826	VV	5645	308380	27.98%	4.926%
4	7.894	7.826	8.080	VV	7184	376989	34.20%	6.022%
5	8.801	8.644	8.965	PV	7861	439962	39.92%	7.027%
6	10.633	10.523	11.022	VV	23443	1102223	100.00%	17.606%
7	13.073	12.928	13.134	BV	7861	343076	31.13%	5.480%
8	13.206	13.134	13.421	VV	15211	671612	60.93%	10.728%
9	13.934	13.699	14.044	PV	14753	657582	59.66%	10.504%
10	16.211	16.101	16.332	VV	13157	553879	50.25%	8.847%

Sum of corrected areas: 6260574

FB040820.M Tue Apr 14 09:16:17 2020