

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB041820\
Data File : FB024182.D
Signal(s) : FID2B.CH
Acq On : 18 Apr 2020 9:49
Sample : BSF0418S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040820.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.690	4.528	4.825	BV	13429	949452	80.80%	13.906%
2	7.418	7.217	7.624	BV	12658	1057352	89.99%	15.486%
3	7.758	7.624	7.825	VV	6267	344011	29.28%	5.038%
4	7.893	7.825	8.149	VV	7861	413881	35.22%	6.062%
5	8.800	8.670	9.095	BV	8927	499383	42.50%	7.314%
6	10.631	10.523	10.768	VV	25548	1175028	100.00%	17.209%
7	13.072	12.934	13.134	VV	8564	374020	31.83%	5.478%
8	13.205	13.134	13.435	VV	16377	726143	61.80%	10.635%
9	13.933	13.721	14.038	BV	15831	703548	59.87%	10.304%
10	16.210	16.093	16.349	PV	13931	585009	49.79%	8.568%

Sum of corrected areas: 6827826

FB040820.M Mon Apr 20 12:42:44 2020