

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB042120\
Data File : FB024217.D
Signal(s) : FID2B.CH
Acq On : 21 Apr 2020 18:16
Sample : BSF0421S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040820.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.692	4.528	4.826	BV	12997	914625	79.79%	13.942%
2	7.421	7.202	7.631	PV	12094	1006869	87.83%	15.348%
3	7.762	7.631	7.828	VV	5960	327310	28.55%	4.989%
4	7.896	7.828	8.055	VV	7584	395791	34.53%	6.033%
5	8.803	8.636	9.015	BV	8861	492329	42.95%	7.505%
6	10.635	10.521	11.013	VV	24569	1146351	100.00%	17.474%
7	13.076	12.917	13.138	VV	8080	354373	30.91%	5.402%
8	13.209	13.138	13.418	VV	15423	683713	59.64%	10.422%
9	13.937	13.809	14.041	PV	14997	667113	58.19%	10.169%
10	16.215	16.098	16.338	PV	13658	571866	49.89%	8.717%

Sum of corrected areas: 6560340

FB040820.M Wed Apr 22 08:40:06 2020