

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB042220\
Data File : FB024233.D
Signal(s) : FID2B.CH
Acq On : 22 Apr 2020 17:46
Sample : BSF0422S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040820.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.692	4.531	4.829	PV	13083	923087	79.62%	13.833%
2	7.418	7.214	7.631	BV	12267	1023187	88.25%	15.333%
3	7.758	7.631	7.825	VV	6031	331540	28.60%	4.968%
4	7.893	7.825	8.110	VV	7667	403933	34.84%	6.053%
5	8.800	8.661	8.993	VV	8766	490382	42.30%	7.349%
6	10.631	10.522	10.977	VV	24874	1159367	100.00%	17.374%
7	13.071	12.881	13.133	PV	8324	364389	31.43%	5.461%
8	13.204	13.133	13.396	VV	15949	705734	60.87%	10.576%
9	13.932	13.798	14.045	PV	15421	687794	59.32%	10.307%
10	16.210	16.048	16.374	VV	13806	583704	50.35%	8.747%

Sum of corrected areas: 6673119

FB040820.M Thu Apr 23 12:26:32 2020