

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB042524\
Data File : FB030699.D
Signal(s) : FID2B.CH
Acq On : 25 Apr 2024 10:37
Sample : BSF0425S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB041024.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.539	4.845	PV	5907	457619	71.66%	12.833%
2	7.414	7.218	7.620	VV	6018	506687	79.34%	14.209%
3	7.745	7.620	7.812	VV	3127	169724	26.58%	4.759%
4	7.881	7.812	8.006	VV	4248	216807	33.95%	6.080%
5	8.787	8.537	8.938	BV	4429	242735	38.01%	6.807%
6	10.614	10.457	10.866	BB	14028	638602	100.00%	17.908%
7	13.052	12.801	13.113	BV	4587	199398	31.22%	5.592%
8	13.184	13.113	13.355	VV	8944	394589	61.79%	11.065%
9	13.911	13.522	14.017	BV	8606	380560	59.59%	10.672%
10	16.186	16.071	16.308	PV	8585	359311	56.27%	10.076%

Sum of corrected areas: 3566030

FB041024.M Fri Apr 26 07:24:35 2024