

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB042722\  
Data File : FB027088.D  
Signal(s) : FID2B.CH  
Acq On : 27 Apr 2022 14:33  
Sample : BSF0427S2  
Misc : 5.03G/5.00 ML DI WATER  
ALS Vial : 9 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB040922.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.707       | 4.531        | 4.853      | BV       | 5856           | 448439       | 80.52%         | 13.588%       |
| 2         | 7.422       | 7.213        | 7.592      | PV       | 5879           | 503747       | 90.45%         | 15.264%       |
| 3         | 7.748       | 7.623        | 7.814      | VV       | 2799           | 152418       | 27.37%         | 4.618%        |
| 4         | 7.885       | 7.814        | 8.002      | VV       | 3877           | 197719       | 35.50%         | 5.991%        |
| 5         | 8.790       | 8.622        | 8.967      | BV       | 3674           | 204151       | 36.66%         | 6.186%        |
| 6         | 10.618      | 10.501       | 10.754     | VV       | 12282          | 556908       | 100.00%        | 16.875%       |
| 7         | 13.055      | 12.917       | 13.117     | BV       | 4012           | 174048       | 31.25%         | 5.274%        |
| 8         | 13.188      | 13.117       | 13.373     | VV       | 7914           | 346758       | 62.26%         | 10.507%       |
| 9         | 13.915      | 13.635       | 14.012     | BV       | 7813           | 359841       | 64.61%         | 10.904%       |
| 10        | 16.190      | 16.107       | 16.301     | VV       | 8358           | 356173       | 63.96%         | 10.792%       |

Sum of corrected areas: 3300201

FB040922.M Thu Apr 28 04:36:32 2022