

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB050422\
Data File : FB027113.D
Signal(s) : FID2B.CH
Acq On : 4 May 2022 18:23
Sample : BSF0504S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040922.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.708	4.528	4.854	BV	7639	584364	89.60%	14.739%
2	7.424	7.192	7.621	PV	7039	605574	92.85%	15.274%
3	7.750	7.621	7.818	VV	3672	200252	30.70%	5.051%
4	7.886	7.818	8.033	VV	4536	230549	35.35%	5.815%
5	8.791	8.564	8.995	BV	5323	292034	44.78%	7.366%
6	10.619	10.503	10.785	VV	14338	652217	100.00%	16.450%
7	13.055	12.822	13.117	BV	4643	202691	31.08%	5.112%
8	13.188	13.117	13.393	VV	9175	403707	61.90%	10.182%
9	13.914	13.699	14.047	BV	8835	386718	59.29%	9.754%
10	16.190	16.068	16.318	PV	9753	406723	62.36%	10.258%

Sum of corrected areas: 3964830

FB040922.M Thu May 05 02:54:58 2022