

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB050422\  
Data File : FB027114.D  
Signal(s) : FID2B.CH  
Acq On : 4 May 2022 20:47  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB040922.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.706       | 4.533        | 4.853      | BV       | 8152           | 607870       | 88.03%         | 14.878%       |
| 2         | 7.421       | 7.207        | 7.639      | PV       | 7372           | 628233       | 90.98%         | 15.376%       |
| 3         | 7.749       | 7.639        | 7.817      | VV       | 3812           | 206375       | 29.89%         | 5.051%        |
| 4         | 7.886       | 7.817        | 8.079      | VV       | 4675           | 239829       | 34.73%         | 5.870%        |
| 5         | 8.790       | 8.597        | 8.932      | PV       | 4757           | 262055       | 37.95%         | 6.414%        |
| 6         | 10.618      | 10.504       | 10.916     | VB       | 14962          | 690541       | 100.00%        | 16.901%       |
| 7         | 13.054      | 12.850       | 13.116     | BV       | 4837           | 211108       | 30.57%         | 5.167%        |
| 8         | 13.187      | 13.116       | 13.384     | VV       | 9561           | 420746       | 60.93%         | 10.298%       |
| 9         | 13.914      | 13.607       | 14.033     | BV       | 9147           | 397427       | 57.55%         | 9.727%        |
| 10        | 16.189      | 16.065       | 16.301     | PV       | 10066          | 421545       | 61.05%         | 10.317%       |

Sum of corrected areas: 4085729

FB040922.M Thu May 05 02:55:41 2022