

rteres

Instrument :

FID_B

ClientSampleId :

SB2-4-5MS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB05062

Data File : FB031684.D

Signal(s) : FID2B.CH

Acq On : 6 May 2025 14:30

Sample : Q1956-03MS

Misc : 6.02G/5.00 ML DI WATER

ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 05/07/2025

Supervised By :mohammad ahmed 05/08/2025

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M

Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.965	5.962	6.060	PV	6	66	0.01%	0.001%
2	6.067	6.060	6.107	PV	14	260	0.03%	0.006%
3	6.116	6.107	6.148	VV	22	532	0.06%	0.012%
4	6.178	6.148	6.340	VV	61	4933	0.52%	0.110%
5	6.360	6.340	6.377	VV	64	1136	0.12%	0.025%
6	6.386	6.377	6.595	VV	57	2022	0.22%	0.045%
7	6.602	6.595	6.686	PV	14	261	0.03%	0.006%
8	6.695	6.686	6.727	PV	9	118	0.01%	0.003%
9	6.744	6.727	6.774	PV	18	287	0.03%	0.006%
10	6.798	6.774	6.909	PV	19	637	0.07%	0.014%
11	6.925	6.909	6.941	PV	18	209	0.02%	0.005%
12	6.950	6.941	6.973	VV	21	178	0.02%	0.004%
13	6.982	6.973	7.001	PV	17	198	0.02%	0.004%
14	7.007	7.001	7.025	VV	17	91	0.01%	0.002%
15	7.047	7.025	7.056	VV	33	332	0.04%	0.007%
16	7.065	7.056	7.079	VV	27	291	0.03%	0.006%
17	7.088	7.079	7.102	VV	22	236	0.03%	0.005%
18	7.131	7.102	7.152	VV	29	644	0.07%	0.014%
19	7.163	7.152	7.195	VV	28	424	0.05%	0.009%
20	7.418	7.195	7.635	PV	8128	727040	77.32%	16.143%
21	7.752	7.635	7.819	VV	3578	207754	22.10%	4.613%
22	7.895	7.819	8.197	VV	5557	329641	35.06%	7.319%
23	8.227	8.197	8.311	VV	32	921	0.10%	0.020%
24	8.322	8.311	8.439	PV	9	405	0.04%	0.009%
25	8.454	8.439	8.473	VV	23	357	0.04%	0.008%
26	8.508	8.473	8.537	VV	39	886	0.09%	0.020%
27	8.554	8.537	8.615	VV	35	738	0.08%	0.016%
28	8.793	8.615	9.107	PV	5880	352045	37.44%	7.816%
29	9.117	9.107	9.163	VV	45	695	0.07%	0.015%
30	9.177	9.163	9.230	VV	30	416	0.04%	0.009%
31	9.253	9.230	9.301	PV	23	171	0.02%	0.004%
32	9.344	9.301	9.359	PV	43	706	0.08%	0.016%
33	9.400	9.359	9.497	VV	53	2685	0.29%	0.060%
34	9.515	9.497	9.581	PV	23	455	0.05%	0.010%
35	9.603	9.581	9.689	VV	19	565	0.06%	0.013%
36	9.695	9.689	9.742	PV	22	171	0.02%	0.004%

37	9.762	9.742	9.821	VV	11	296	0.03%	0.007%
38	9.901	9.821	9.916	PV	28	1009	0.03%	0.007%
39	9.950	9.916	10.109	VV	39	1861	0.03%	0.007%
40	10.122	10.109	10.146	PV	17	195	0.03%	0.007%
41	10.153	10.146	10.214	VV	14	482	0.03%	0.007%
42	10.380	10.214	10.496	VV	77	7784	0.03%	0.007%
43	10.625	10.496	10.976	VV	17151	940248	100.00%	20.876%
44	10.989	10.976	11.084	VV	45	1421	0.15%	0.032%
45	11.101	11.084	11.155	VV	44	632	0.07%	0.014%
46	11.179	11.155	11.220	PV	33	471	0.05%	0.010%
47	11.269	11.220	11.312	VV	15	586	0.06%	0.013%
48	11.341	11.312	11.365	VV	21	314	0.03%	0.007%
49	11.502	11.365	11.654	VV	64	5521	0.59%	0.123%
50	11.675	11.654	11.724	VV	35	752	0.08%	0.017%
51	11.736	11.724	11.751	VV	26	321	0.03%	0.007%
52	11.782	11.751	11.818	VV	31	822	0.09%	0.018%
53	11.847	11.818	11.868	VV	41	940	0.10%	0.021%
54	11.884	11.868	11.996	VV	46	1757	0.19%	0.039%
55	12.062	11.996	12.085	VV	35	914	0.10%	0.020%
56	12.100	12.085	12.153	VV	25	573	0.06%	0.013%
57	12.178	12.153	12.208	VV	21	449	0.05%	0.010%
58	12.225	12.208	12.248	VV	15	215	0.02%	0.005%
59	12.267	12.248	12.292	VV	15	247	0.03%	0.005%
60	12.304	12.292	12.383	PV	22	778	0.08%	0.017%
61	12.447	12.383	12.495	PV	24	640	0.07%	0.014%
62	12.543	12.495	12.564	VV	30	710	0.08%	0.016%
63	12.578	12.564	12.604	VV	27	451	0.05%	0.010%
64	12.645	12.604	12.661	VV	26	583	0.06%	0.013%
65	12.758	12.661	12.884	VV	66	4312	0.46%	0.096%
66	12.913	12.884	12.926	PV	22	269	0.03%	0.006%
67	13.064	12.926	13.124	VV	5706	276803	29.44%	6.146%
68	13.198	13.124	13.450	VV	11212	607033	64.56%	13.478%
69	13.478	13.450	13.537	VV	36	1641	0.17%	0.036%
70	13.560	13.537	13.594	VV	37	890	0.09%	0.020%
71	13.619	13.594	13.635	VV	25	392	0.04%	0.009%
72	13.655	13.635	13.671	VV	27	404	0.04%	0.009%
73	13.682	13.671	13.731	VV	21	536	0.06%	0.012%
74	13.781	13.731	13.800	VV	28	737	0.08%	0.016%
75	13.927	13.800	14.060	VV	10582	553845	58.90%	12.297%
76	14.103	14.060	14.286	VV	367	28752	3.06%	0.638%
77	14.359	14.286	14.408	VV	83	4520	0.48%	0.100%
78	14.420	14.408	14.467	VV	56	1516	0.16%	0.034%
79	14.538	14.467	14.620	VV	61	3427	0.36%	0.076%
80	14.635	14.620	14.690	VV	20	607	0.06%	0.013%
81	14.711	14.690	14.725	VV	21	315	0.03%	0.007%
82	14.745	14.725	14.797	VV	21	590	0.06%	0.013%
83	14.813	14.797	14.833	PV	15	273	0.03%	0.006%
84	14.843	14.833	14.885	VV	22	459	0.05%	0.010%
85	14.914	14.885	14.928	VV	29	431	0.05%	0.010%
86	14.953	14.928	14.966	VV	25	455	0.05%	0.010%
87	15.060	14.966	15.137	VV	138	7465	0.79%	0.166%
88	15.150	15.137	15.164	VV	30	362	0.04%	0.008%
89	15.230	15.164	15.335	VV	54	3562	0.38%	0.079%

Instrument :

FID_B

ClientSampleId :

SB2-4-5MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/07/2025

Supervised By :mohammad ahmed 05/08/2025

					rters		
90	15.418	15.335	15.481	VV	194	11195	
91	15.506	15.481	15.592	VV	148	6625	
92	15.637	15.592	15.718	VV	82	4076	
93	15.728	15.718	15.760	VV	35	607	
94	15.778	15.760	15.834	VV	21	704	
95	15.849	15.834	15.862	VV	14	183	
96	15.948	15.862	16.071	VV	117	6602	
97	16.201	16.071	16.350	PV	8018	357003	
98	16.411	16.350	16.586	VV	121	7809	
Sum of corrected areas:						4503880	

Instrument :
FID_B
ClientSampleId :
SB2-4-5MS

1.19% 0.249%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/07/2025
Supervised By :mohammad ahmed 05/08/2025

FB042325.M Wed May 07 07:07:54 2025