

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB050720\
Data File : FB024265.D
Signal(s) : FID2B.CH
Acq On : 7 May 2020 8:38
Sample : BSF0507S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB040820.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.692	4.532	4.825	PV	14753	1041998	82.24%	14.270%
2	7.419	7.203	7.632	BV	13502	1127863	89.01%	15.446%
3	7.759	7.632	7.825	VV	6811	372998	29.44%	5.108%
4	7.893	7.825	8.024	VV	8374	438149	34.58%	6.000%
5	8.800	8.657	8.963	PV	9637	537723	42.44%	7.364%
6	10.631	10.523	10.941	VV	27047	1267057	100.00%	17.352%
7	13.072	12.947	13.133	VV	8922	390894	30.85%	5.353%
8	13.204	13.133	13.387	VV	17115	757102	59.75%	10.368%
9	13.932	13.794	14.035	VV	16589	738681	58.30%	10.116%
10	16.210	16.086	16.346	PV	14881	629608	49.69%	8.622%

Sum of corrected areas: 7302074

FB040820.M Fri May 08 10:31:04 2020