

nteres

Instrument :
FID_B
ClientSampleId :
BU-02-050823MS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2023
Supervised By :Ankita Jodhani 05/09/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB
Data File : FB029774.D
Signal(s) : FID2B.CH
Acq On : 8 May 2023 18:48
Sample : 02666-01MS
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 9 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB041723.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.698	4.543	4.840	PV	5408	406874	74.45%	12.464%
2	5.127	5.100	5.142	PV	16	178	0.03%	0.005%
3	5.156	5.142	5.185	VV	18	278	0.05%	0.009%
4	5.193	5.185	5.207	VV	30	240	0.04%	0.007%
5	5.224	5.207	5.233	PV	31	247	0.05%	0.008%
6	5.521	5.509	5.533	VV	30	278	0.05%	0.009%
7	5.540	5.533	5.556	VV	19	147	0.03%	0.004%
8	5.565	5.556	5.575	VV	15	139	0.03%	0.004%
9	5.609	5.575	5.630	VV	27	668	0.12%	0.020%
10	5.637	5.630	5.648	VV	28	200	0.04%	0.006%
11	5.659	5.648	5.667	PV	21	159	0.03%	0.005%
12	5.688	5.667	5.701	VV	32	443	0.08%	0.014%
13	5.724	5.701	5.770	VV	30	700	0.13%	0.021%
14	5.781	5.770	5.809	VV	34	553	0.10%	0.017%
15	5.823	5.809	5.835	VV	24	299	0.05%	0.009%
16	5.875	5.835	5.887	VV	36	621	0.11%	0.019%
17	5.898	5.887	5.918	VV	36	474	0.09%	0.015%
18	5.928	5.918	5.970	VV	33	527	0.10%	0.016%
19	5.980	5.970	5.989	VV	27	241	0.04%	0.007%
20	6.034	5.989	6.045	VV	44	1058	0.19%	0.032%
21	6.054	6.045	6.067	VV	35	313	0.06%	0.010%
22	6.097	6.067	6.108	VV	30	579	0.11%	0.018%
23	6.143	6.108	6.162	VV	44	1090	0.20%	0.033%
24	6.179	6.162	6.199	VV	43	674	0.12%	0.021%
25	6.206	6.199	6.219	VV	30	259	0.05%	0.008%
26	6.418	6.411	6.425	VV	23	157	0.03%	0.005%
27	6.439	6.425	6.466	VV	24	432	0.08%	0.013%
28	6.478	6.466	6.500	VV	28	395	0.07%	0.012%
29	6.516	6.500	6.531	VV	18	176	0.03%	0.005%
30	6.550	6.531	6.558	PV	11	96	0.02%	0.003%
31	6.577	6.558	6.593	VV	17	235	0.04%	0.007%

32	6.603	6.593	6.611	VV	14	99	0.02%	0.003%
33	6.631	6.611	6.638	VV	18	24		
34	6.650	6.638	6.690	VV	27	59		
35	6.720	6.690	6.746	VV	22	36		
36	6.759	6.746	6.773	VV	29	27		
37	6.803	6.773	6.811	VV	32	391	0.07%	0.012%
38	6.820	6.811	6.829	VV	26	246	0.05%	0.008%
39	6.906	6.829	6.917	VV	79	2566	0.47%	0.079%
40	6.943	6.917	6.963	VV	65	1614	0.30%	0.049%
41	6.989	6.963	6.997	VV	59	1102	0.20%	0.034%
42	7.005	6.997	7.050	VV	58	1495	0.27%	0.046%
43	7.060	7.050	7.102	VV	43	1023	0.19%	0.031%
44	7.110	7.102	7.146	VV	30	405	0.07%	0.012%
45	7.155	7.146	7.164	VV	26	221	0.04%	0.007%
46	7.171	7.164	7.190	VV	22	293	0.05%	0.009%
47	7.200	7.190	7.210	VV	29	255	0.05%	0.008%
48	7.414	7.210	7.626	VV	5132	433274	79.28%	13.272%
49	7.745	7.626	7.813	VV	2822	154255	28.22%	4.725%
50	7.883	7.813	8.015	VV	3662	190355	34.83%	5.831%
51	8.098	8.015	8.142	VV	80	4249	0.78%	0.130%
52	8.175	8.142	8.194	VV	67	1898	0.35%	0.058%
53	8.212	8.194	8.258	VV	89	2905	0.53%	0.089%
54	8.269	8.258	8.308	VV	78	1872	0.34%	0.057%
55	8.325	8.308	8.350	VV	61	1378	0.25%	0.042%
56	8.370	8.350	8.389	VV	59	1166	0.21%	0.036%
57	8.446	8.389	8.458	VV	61	2183	0.40%	0.067%
58	8.478	8.458	8.566	VV	76	3606	0.66%	0.110%
59	8.788	8.566	8.989	VV	4232	239236	43.77%	7.328%
60	9.009	8.989	9.038	VV	34	574	0.10%	0.018%
61	9.064	9.038	9.082	VV	22	443	0.08%	0.014%
62	9.122	9.082	9.141	VV	46	1141	0.21%	0.035%
63	9.163	9.141	9.194	VV	57	1502	0.27%	0.046%
64	9.249	9.194	9.290	VV	76	3856	0.71%	0.118%
65	9.382	9.290	9.566	VV	154	12492	2.29%	0.383%
66	9.582	9.566	9.597	VV	29	365	0.07%	0.011%
67	9.612	9.597	9.625	VV	36	487	0.09%	0.015%
68	9.753	9.625	9.861	VV	93	6832	1.25%	0.209%
69	9.877	9.861	9.915	VV	27	701	0.13%	0.021%
70	9.939	9.915	9.965	VV	25	362	0.07%	0.011%
71	10.010	9.965	10.043	PV	24	576	0.11%	0.018%
72	10.054	10.043	10.074	VV	17	247	0.05%	0.008%
73	10.104	10.074	10.140	VV	27	688	0.13%	0.021%
74	10.201	10.140	10.218	VV	40	1180	0.22%	0.036%
75	10.312	10.218	10.335	VV	80	3873	0.71%	0.119%
76	10.375	10.335	10.399	VV	93	2789	0.51%	0.085%
77	10.416	10.399	10.492	VV	79	3313	0.61%	0.101%
78	10.617	10.492	10.752	VV	11981	546530	100.00%	16.742%
79	10.778	10.752	10.889	VV	79	4662	0.85%	0.143%

nteres

Instrument :

FID_B

ClientSampleId :

BU-02-050823MS

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 05/09/2023

Supervised By :Ankita Jodhani 05/09/2023

80	10.913	10.889	10.930	VV	32	590	0.11%	0.018%
81	10.953	10.930	11.013	VV	46	139		
82	11.030	11.013	11.061	VV	26	43		
83	11.078	11.061	11.091	VV	18	25		
84	11.104	11.091	11.114	VV	18	22		
85	11.135	11.114	11.164	VV	33	759	0.14%	0.023%
86	11.187	11.164	11.213	VV	45	690	0.13%	0.021%
87	11.274	11.213	11.317	VV	33	1292	0.24%	0.040%
88	11.442	11.317	11.457	VV	60	2649	0.48%	0.081%
89	11.471	11.457	11.504	VV	46	1054	0.19%	0.032%
90	11.541	11.504	11.651	VV	57	3055	0.56%	0.094%
91	11.686	11.651	11.707	VV	35	832	0.15%	0.025%
92	11.730	11.707	11.748	VV	31	560	0.10%	0.017%
93	11.774	11.748	11.810	VV	34	1103	0.20%	0.034%
94	11.894	11.810	11.912	VV	61	2609	0.48%	0.080%
95	11.928	11.912	11.982	VV	49	1053	0.19%	0.032%
96	12.019	11.982	12.043	VV	48	803	0.15%	0.025%
97	12.113	12.043	12.132	VV	40	1462	0.27%	0.045%
98	12.168	12.132	12.184	VV	45	1116	0.20%	0.034%
99	12.204	12.184	12.241	VV	38	1097	0.20%	0.034%
100	12.343	12.241	12.448	VV	47	3826	0.70%	0.117%
101	12.466	12.448	12.489	VV	31	598	0.11%	0.018%
102	12.586	12.489	12.608	PV	34	1579	0.29%	0.048%
103	12.628	12.608	12.663	VV	33	708	0.13%	0.022%
104	12.764	12.663	12.820	VV	44	2936	0.54%	0.090%
105	12.935	12.820	12.947	VV	52	2919	0.53%	0.089%
106	13.054	12.947	13.115	VV	3855	168309	30.80%	5.156%
107	13.187	13.115	13.360	VV	7634	334614	61.23%	10.250%
108	13.366	13.360	13.380	VV	40	346	0.06%	0.011%
109	13.392	13.380	13.404	VV	27	359	0.07%	0.011%
110	13.447	13.404	13.469	VV	52	1214	0.22%	0.037%
111	13.501	13.469	13.513	VV	37	771	0.14%	0.024%
112	13.532	13.513	13.594	VV	45	1342	0.25%	0.041%
113	13.611	13.594	13.642	VV	26	517	0.09%	0.016%
114	13.671	13.642	13.697	VV	36	519	0.09%	0.016%
115	13.914	13.697	14.021	VV	7105	316321	57.88%	9.690%
116	14.148	14.021	14.302	VV	224	22208	4.06%	0.680%
117	14.446	14.302	14.532	VV	104	7811	1.43%	0.239%
118	14.548	14.532	14.598	VV	55	1147	0.21%	0.035%
119	14.646	14.598	14.752	VV	32	1705	0.31%	0.052%
120	14.797	14.752	14.872	VV	36	1827	0.33%	0.056%
121	14.891	14.872	14.906	VV	46	450	0.08%	0.014%
122	15.065	14.906	15.144	PV	168	8615	1.58%	0.264%
123	15.185	15.144	15.214	VV	33	1103	0.20%	0.034%
124	15.248	15.214	15.268	VV	34	770	0.14%	0.024%
125	15.330	15.268	15.345	VV	43	1721	0.31%	0.053%
126	15.478	15.345	15.568	VV	81	6979	1.28%	0.214%

Instrument :
FID_B
ClientSampleId :
BU-02-050823MS

Manual Integrations APPROVED
Reviewed By :Yogesh Patel 05/09/2023
Supervised By :Ankita Jodhani 05/09/2023

Peak No.	Retention Time (min)	Area	Height	Width	Integration	Area%	Height%
127	15.587	15.568	15.601	VV	22	307	0.06%
128	15.615	15.601	15.631	VV	23	26	0.009%
129	15.701	15.631	15.734	VV	35	163	
130	15.750	15.734	15.768	VV	29	41	
131	15.789	15.768	15.831	VV	26	61	
132	15.853	15.831	15.870	VV	19	235	0.04%
133	15.979	15.870	16.066	VV	130	7006	1.28%
134	16.189	16.066	16.337	PV	6736	280846	51.39%
Sum of corrected areas:						3264468	8.603%

rteres

Instrument :
 FID_B
 ClientSampleId :
 BU-02-050823MS

Manual Integrations APPROVED
 Reviewed By :Yogesh Patel 05/09/2023
 Supervised By :Ankita Jodhani 05/09/2023

FB041723.M Tue May 09 01:36:16 2023