

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051220\
Data File : FB024324.D
Signal(s) : FID2B.CH
Acq On : 12 May 2020 8:00
Sample : BSF0512S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051120.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.690	4.522	4.819	PV	13022	923918	82.95%	14.339%
2	7.418	7.188	7.634	PV	11955	1001949	89.95%	15.550%
3	7.758	7.634	7.824	VV	6002	329784	29.61%	5.118%
4	7.893	7.824	8.149	VV	7414	391814	35.18%	6.081%
5	8.799	8.608	8.972	PV	8129	453492	40.71%	7.038%
6	10.630	10.521	10.791	VV	24096	1113839	100.00%	17.287%
7	13.070	12.820	13.132	BV	7950	347168	31.17%	5.388%
8	13.203	13.132	13.349	VV	15245	672772	60.40%	10.441%
9	13.931	13.677	14.041	BV	14783	657908	59.07%	10.211%
10	16.209	16.082	16.322	VV	13067	550649	49.44%	8.546%

Sum of corrected areas: 6443292

FB051120.M Wed May 13 09:03:24 2020