

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051322\
Data File : FB027187.D
Signal(s) : FID2B.CH
Acq On : 13 May 2022 11:20
Sample : BSF0513S1
Misc : 5.03G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.545	4.852	VV	6653	514505	86.17%	14.426%
2	7.420	7.205	7.626	BV	6270	540880	90.58%	15.166%
3	7.747	7.626	7.814	VV	3310	180362	30.21%	5.057%
4	7.883	7.814	8.009	VV	4129	210538	35.26%	5.903%
5	8.788	8.622	8.965	BV	4389	241032	40.37%	6.758%
6	10.616	10.500	10.774	VV	13075	597115	100.00%	16.742%
7	13.053	12.947	13.114	VV	4231	184138	30.84%	5.163%
8	13.185	13.114	13.382	VV	8318	367266	61.51%	10.298%
9	13.912	13.741	14.015	BV	8065	362358	60.68%	10.160%
10	16.187	16.051	16.310	PV	8792	368304	61.68%	10.327%

Sum of corrected areas: 3566499

FB051022.M Fri May 13 23:36:31 2022