

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051325\
Data File : FB031707.D
Signal(s) : FID2B.CH
Acq On : 13 May 2025 10:19
Sample : BSF0513S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.723	4.576	4.893	BV	15213	1089829	77.45%	13.787%
2	7.422	7.199	7.632	PV	15218	1315988	93.52%	16.648%
3	7.754	7.632	7.823	VV	7158	406623	28.90%	5.144%
4	7.894	7.823	8.117	VV	8683	492316	34.99%	6.228%
5	8.792	8.615	8.999	BV	6604	384051	27.29%	4.859%
6	10.620	10.497	10.995	VV	25923	1407176	100.00%	17.802%
7	13.056	12.933	13.117	VV	8633	414691	29.47%	5.246%
8	13.190	13.117	13.480	VV	17153	913766	64.94%	11.560%
9	13.918	13.778	14.262	BV	16426	861810	61.24%	10.903%
10	16.193	16.041	16.403	PBA	13921	618292	43.94%	7.822%

Sum of corrected areas: 7904542

FB042325.M Wed May 14 08:55:46 2025