

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051325\
Data File : FB031714.D
Signal(s) : FID2B.CH
Acq On : 13 May 2025 13:54
Sample : BSF0513S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 12 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.725	4.565	5.139	BV	14820	1185331	83.50%	14.697%
2	7.425	7.206	7.647	BV	14184	1297170	91.38%	16.084%
3	7.756	7.647	7.825	VV	7621	436833	30.77%	5.416%
4	7.895	7.825	8.172	VV	8754	504223	35.52%	6.252%
5	8.794	8.610	9.105	PV	8104	481603	33.93%	5.972%
6	10.623	10.494	10.964	VV	25922	1419495	100.00%	17.601%
7	13.059	12.911	13.119	VV	8475	408273	28.76%	5.062%
8	13.192	13.119	13.466	VB	16775	900568	63.44%	11.167%
9	13.920	13.611	14.065	BV	16229	838626	59.08%	10.398%
10	16.195	16.049	16.403	PBA	13408	592775	41.76%	7.350%

Sum of corrected areas: 8064897

FB042325.M Wed May 14 08:57:43 2025