

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051325\
Data File : FB031725.D
Signal(s) : FID2B.CH
Acq On : 13 May 2025 20:02
Sample : BSF0513S3
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 19 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.725	4.587	4.870	BV	6859	483526	43.07%	8.216%
2	7.425	7.232	7.641	VV	10243	897911	79.98%	15.257%
3	7.756	7.641	7.822	VV	4165	235287	20.96%	3.998%
4	7.896	7.822	8.155	VV	6581	378201	33.69%	6.426%
5	8.794	8.604	9.080	BV	8313	490517	43.69%	8.335%
6	10.622	10.443	10.959	BV	20448	1122724	100.00%	19.077%
7	13.059	12.932	13.119	VV	6961	338228	30.13%	5.747%
8	13.192	13.119	13.461	VV	13753	745008	66.36%	12.659%
9	13.921	13.625	14.061	BV	13430	706809	62.95%	12.010%
10	16.195	16.049	16.336	PV	10985	487095	43.39%	8.276%

Sum of corrected areas: 5885304

FB042325.M Wed May 14 08:59:12 2025