

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051325\
Data File : FB031733.D
Signal(s) : FID2B.CH
Acq On : 14 May 2025 00:35
Sample : BSF0513S4
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 29 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.726	4.594	4.878	PV	6832	515329	48.65%	9.028%
2	7.425	7.235	7.649	VV	9898	885747	83.62%	15.517%
3	7.756	7.649	7.823	VV	4084	231464	21.85%	4.055%
4	7.897	7.823	8.192	VV	6294	365284	34.48%	6.399%
5	8.795	8.637	9.043	BV	9081	534930	50.50%	9.371%
6	10.624	10.455	10.958	BV	19137	1059286	100.00%	18.557%
7	13.060	12.940	13.120	VV	6506	316736	29.90%	5.549%
8	13.194	13.120	13.449	VV	12830	697310	65.83%	12.216%
9	13.922	13.756	14.065	VV	12620	663910	62.68%	11.631%
10	16.197	16.055	16.350	PV	9879	438143	41.36%	7.676%

Sum of corrected areas: 5708139

FB042325.M Wed May 14 09:00:20 2025