

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051425\
Data File : FB031741.D
Signal(s) : FID2B.CH
Acq On : 14 May 2025 12:53
Sample : BSF0514S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.726	4.582	4.890	BV	12339	902899	74.82%	13.363%
2	7.426	7.231	7.644	VV	12377	1110691	92.04%	16.438%
3	7.756	7.644	7.826	VV	6416	367210	30.43%	5.435%
4	7.896	7.826	8.183	VV	7380	424954	35.21%	6.289%
5	8.794	8.629	9.099	PV	6929	411469	34.10%	6.090%
6	10.623	10.404	11.008	BV	21874	1206786	100.00%	17.860%
7	13.059	12.935	13.120	BV	7189	346959	28.75%	5.135%
8	13.193	13.120	13.486	VV	14258	772965	64.05%	11.440%
9	13.921	13.764	14.087	PV	13649	718074	59.50%	10.627%
10	16.196	16.077	16.401	BBA	11181	494805	41.00%	7.323%

Sum of corrected areas: 6756812

FB042325.M Thu May 15 04:48:45 2025