

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051525\
Data File : FB031751.D
Signal(s) : FID2B.CH
Acq On : 15 May 2025 12:58
Sample : BSF0515S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB042325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.731	4.576	5.157	BV	13316	1077122	85.10%	14.934%
2	7.430	7.201	7.646	PV	12913	1180065	93.23%	16.362%
3	7.759	7.646	7.829	VV	6645	382907	30.25%	5.309%
4	7.900	7.829	8.214	VV	7681	451204	35.65%	6.256%
5	8.798	8.618	9.062	PV	7718	458628	36.23%	6.359%
6	10.627	10.449	10.951	VV	22398	1265728	100.00%	17.549%
7	13.064	12.926	13.123	BV	7359	358911	28.36%	4.976%
8	13.197	13.123	13.436	VV	14465	800665	63.26%	11.101%
9	13.926	13.708	14.287	BV	13981	754924	59.64%	10.467%
10	16.200	16.063	16.403	PBA	10898	482223	38.10%	6.686%

Sum of corrected areas: 7212376

FB042325.M Fri May 16 03:04:34 2025