

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051622\
Data File : FB027200.D
Signal(s) : FID2B.CH
Acq On : 16 May 2022 11:59
Sample : BSF0516S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.528	4.855	BV	6429	498942	87.11%	14.214%
2	7.428	7.235	7.630	PV	6264	544785	95.12%	15.520%
3	7.752	7.630	7.818	VV	3083	167127	29.18%	4.761%
4	7.889	7.818	8.023	VV	3929	200658	35.03%	5.716%
5	8.793	8.650	8.992	PV	4750	261787	45.71%	7.458%
6	10.622	10.509	10.796	VV	12551	572760	100.00%	16.317%
7	13.059	12.658	13.120	BV	4129	182242	31.82%	5.192%
8	13.191	13.120	13.345	VV	8125	358758	62.64%	10.220%
9	13.919	13.713	14.016	BV	7923	359445	62.76%	10.240%
10	16.193	16.087	16.315	PV	8722	363804	63.52%	10.364%

Sum of corrected areas: 3510307

FB051022.M Mon May 16 21:30:15 2022