

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051722\
Data File : FB027237.D
Signal(s) : FID2B.CH
Acq On : 17 May 2022 10:55
Sample : BSF0517S1
Misc : 5.03G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.545	4.859	BV	5978	452606	83.25%	14.013%
2	7.423	7.178	7.626	PV	5662	486010	89.39%	15.048%
3	7.752	7.626	7.818	VV	2860	154957	28.50%	4.798%
4	7.889	7.818	8.021	VV	3711	189045	34.77%	5.853%
5	8.792	8.519	8.976	BV	4356	237294	43.65%	7.347%
6	10.620	10.506	10.935	VV	11753	543675	100.00%	16.833%
7	13.057	12.705	13.118	BV	3838	168844	31.06%	5.228%
8	13.189	13.118	13.362	VB	7542	333491	61.34%	10.325%
9	13.916	13.604	14.005	BV	7322	328463	60.42%	10.170%
10	16.191	16.056	16.321	PV	8010	335412	61.69%	10.385%

Sum of corrected areas: 3229797

FB051022.M Wed May 18 01:04:30 2022