

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051722\
Data File : FB027244.D
Signal(s) : FID2B.CH
Acq On : 17 May 2022 15:12
Sample : BSF0517S2
Misc : 5.03G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.533	4.862	BV	6248	487685	82.21%	14.182%
2	7.430	7.194	7.630	PV	5969	517433	87.22%	15.047%
3	7.752	7.630	7.819	VV	3069	166393	28.05%	4.839%
4	7.889	7.819	8.026	VV	4026	204864	34.53%	5.957%
5	8.793	8.643	8.953	PV	4028	221910	37.41%	6.453%
6	10.622	10.516	10.918	VV	12795	593248	100.00%	17.251%
7	13.059	12.819	13.120	BV	4149	180743	30.47%	5.256%
8	13.191	13.120	13.362	VV	8171	360221	60.72%	10.475%
9	13.919	13.512	14.033	BV	7895	352742	59.46%	10.258%
10	16.194	16.054	16.312	PV	8441	353605	59.60%	10.283%

Sum of corrected areas: 3438843

FB051022.M Wed May 18 01:05:31 2022