

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051722\
Data File : FB027264.D
Signal(s) : FID2B.CH
Acq On : 18 May 2022 4:30
Sample : BSF0517S4
Misc : 5.05G/5.00 ML DI WATER
ALS Vial : 33 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.532	4.858	VV	6266	477952	83.91%	14.270%
2	7.422	7.208	7.623	BV	5992	509826	89.51%	15.222%
3	7.748	7.638	7.815	VV	2943	158357	27.80%	4.728%
4	7.886	7.815	7.998	VV	3897	198019	34.77%	5.912%
5	8.789	8.589	8.940	BV	3841	211201	37.08%	6.306%
6	10.618	10.512	10.779	VV	12526	569582	100.00%	17.006%
7	13.055	12.950	13.116	BV	4079	177081	31.09%	5.287%
8	13.187	13.116	13.382	VV	8030	355100	62.34%	10.602%
9	13.915	13.738	14.018	BV	7789	348145	61.12%	10.395%
10	16.190	16.055	16.300	PV	8226	344043	60.40%	10.272%

Sum of corrected areas: 3349305

FB051022.M Wed May 18 05:01:04 2022