

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB051822\
Data File : FB027270.D
Signal(s) : FID2B.CH
Acq On : 18 May 2022 11:35
Sample : BSF0518S1
Misc : 5.03G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.702	4.539	4.854	BV	5429	405220	82.42%	13.922%
2	7.418	7.211	7.621	PV	5003	425811	86.61%	14.629%
3	7.747	7.621	7.815	VV	2656	144000	29.29%	4.947%
4	7.884	7.815	8.011	VV	3351	171463	34.88%	5.891%
5	8.790	8.611	8.945	PV	4098	227919	46.36%	7.831%
6	10.617	10.507	10.829	VV	10746	491640	100.00%	16.891%
7	13.053	12.945	13.114	PV	3486	151823	30.88%	5.216%
8	13.186	13.114	13.314	VV	6846	300163	61.05%	10.313%
9	13.913	13.771	14.013	VV	6588	294358	59.87%	10.113%
10	16.188	16.073	16.301	PV	7122	298237	60.66%	10.246%

Sum of corrected areas: 2910636

FB051022.M Thu May 19 00:21:32 2022