

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB052422\
Data File : FB027289.D
Signal(s) : FID2B.CH
Acq On : 24 May 2022 13:27
Sample : BSF0524S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.536	4.850	BV	5953	454313	82.29%	13.918%
2	7.417	7.200	7.626	BV	5661	485367	87.92%	14.869%
3	7.747	7.626	7.813	VV	2856	156031	28.26%	4.780%
4	7.884	7.813	8.021	VV	3820	195399	35.39%	5.986%
5	8.788	8.614	8.959	BV	4113	226392	41.01%	6.936%
6	10.616	10.498	10.796	VV	12111	552069	100.00%	16.913%
7	13.052	12.950	13.113	VV	3950	172138	31.18%	5.273%
8	13.185	13.113	13.359	VV	7766	343230	62.17%	10.515%
9	13.912	13.735	14.027	PV	7493	335147	60.71%	10.267%
10	16.187	16.057	16.307	PV	8182	344125	62.33%	10.542%

Sum of corrected areas: 3264212

FB051022.M Wed May 25 01:23:05 2022