

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB052422\
Data File : FB027294.D
Signal(s) : FID2B.CH
Acq On : 24 May 2022 17:54
Sample : BSF0524S2
Misc : 5.05G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.508	4.844	BV	5682	436287	81.86%	13.686%
2	7.424	7.230	7.634	PV	5577	479825	90.03%	15.052%
3	7.747	7.634	7.815	VV	2730	147980	27.76%	4.642%
4	7.885	7.815	7.997	VV	3672	186071	34.91%	5.837%
5	8.789	8.619	8.939	BV	4252	235326	44.15%	7.382%
6	10.617	10.515	10.754	VV	11725	532985	100.00%	16.719%
7	13.054	12.811	13.116	BV	3852	169491	31.80%	5.317%
8	13.187	13.116	13.404	VV	7599	335950	63.03%	10.538%
9	13.914	13.671	14.027	BV	7387	329798	61.88%	10.345%
10	16.189	16.059	16.351	PBA	7987	334169	62.70%	10.482%

Sum of corrected areas: 3187882

FB051022.M Wed May 25 01:23:41 2022