

Instrument :

FID_B

ClientSampleId :

WC14MS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/25/2023

Supervised By :Ankita Jodhani 05/25/2023

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB05242
 Data File : FB029819.D
 Signal(s) : FID2B.CH
 Acq On : 24 May 2023 19:14
 Sample : 02899-09MS 50X
 Misc : 5.06G/5.00 ML ME0H
 ALS Vial : 16 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051123.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.698	4.528	4.836	M	5383	403517	72.42%	11.657%
2	4.915	4.836	5.115	VV	1169	63026	11.31%	1.821%
3	5.131	5.115	5.190	PV	15	340	0.06%	0.010%
4	5.350	5.190	5.497	PV	1097	67634	12.14%	1.954%
5	5.506	5.497	5.532	VV	23	268	0.05%	0.008%
6	5.561	5.532	5.578	VV	20	289	0.05%	0.008%
7	5.590	5.578	5.634	VV	18	363	0.07%	0.010%
8	5.645	5.634	5.670	PV	21	283	0.05%	0.008%
9	5.699	5.670	5.781	VV	25	807	0.14%	0.023%
10	5.792	5.781	5.805	VV	15	108	0.02%	0.003%
11	5.862	5.805	5.918	VV	25	742	0.13%	0.021%
12	5.946	5.918	5.962	VV	26	413	0.07%	0.012%
13	5.988	5.962	6.004	VV	25	399	0.07%	0.012%
14	6.017	6.004	6.037	VV	30	398	0.07%	0.012%
15	6.063	6.037	6.110	VV	30	975	0.18%	0.028%
16	6.124	6.110	6.160	VV	32	596	0.11%	0.017%
17	6.186	6.160	6.226	VV	40	925	0.17%	0.027%
18	6.311	6.226	6.470	VV	68	4025	0.72%	0.116%
19	6.483	6.470	6.520	VV	10	244	0.04%	0.007%
20	6.539	6.520	6.590	PV	15	365	0.07%	0.011%
21	6.643	6.590	6.705	VV	17	469	0.08%	0.014%
22	6.728	6.705	6.744	VV	18	276	0.05%	0.008%
23	6.757	6.744	6.786	VV	26	325	0.06%	0.009%
24	6.920	6.786	6.949	VV	64	3250	0.58%	0.094%
25	6.968	6.949	6.998	VV	58	1217	0.22%	0.035%
26	7.051	6.998	7.126	VV	43	1834	0.33%	0.053%
27	7.160	7.126	7.209	VV	18	625	0.11%	0.018%
28	7.414	7.209	7.626	VV	5445	458849	82.35%	13.256%
29	7.745	7.626	7.812	VV	2751	151036	27.11%	4.363%
30	7.882	7.812	8.018	VV	3664	190644	34.22%	5.508%
31	8.055	8.018	8.097	VV	53	2189	0.39%	0.063%
32	8.110	8.097	8.171	VV	57	1989	0.36%	0.057%
33	8.192	8.171	8.210	VV	79	1614	0.29%	0.047%
34	8.243	8.210	8.325	VV	82	4300	0.77%	0.124%
35	8.358	8.325	8.390	VV	54	1795	0.32%	0.052%
36	8.412	8.390	8.425	VV	53	976	0.18%	0.028%

					Instrument : FID_B ClientSampleId : WC14MS			
				rt	Area	Area%	Height	Height%
37	8.493	8.425	8.568	VV	77	4609	0.83%	0.133%
38	8.788	8.568	9.058	VV	4285	243181	4.31%	0.133%
39	9.140	9.058	9.161	PV	41	1519	0.27%	0.133%
40	9.244	9.161	9.282	VV	73	3872	0.69%	0.133%
41	9.369	9.282	9.468	VV	119	8636	1.54%	0.133%
42	9.484	9.468	9.503	VV	35	605	0.11%	0.133%
43	9.522	9.503	9.560	VV	28	555	0.10%	0.016%
44	9.593	9.560	9.608	VV	28	427	0.08%	0.012%
45	9.626	9.608	9.674	VV	30	829	0.15%	0.024%
46	9.771	9.674	9.886	VV	70	4502	0.81%	0.130%
47	9.937	9.886	9.953	VV	24	570	0.10%	0.016%
48	9.967	9.953	9.998	VV	22	381	0.07%	0.011%
49	10.014	9.998	10.025	VV	19	168	0.03%	0.005%
50	10.047	10.025	10.067	VV	21	334	0.06%	0.010%
51	10.126	10.067	10.139	VV	19	562	0.10%	0.016%
52	10.167	10.139	10.204	VV	34	882	0.16%	0.025%
53	10.291	10.204	10.318	VV	71	3095	0.56%	0.089%
54	10.403	10.318	10.470	VV	84	5653	1.01%	0.163%
55	10.478	10.470	10.492	VV	61	688	0.12%	0.020%
56	10.616	10.492	10.748	VV	12199	557193	100.00%	16.097%
57	10.763	10.748	10.927	VV	79	5120	0.92%	0.148%
58	10.958	10.927	10.978	VV	28	713	0.13%	0.021%
59	11.015	10.978	11.044	VV	27	704	0.13%	0.020%
60	11.083	11.044	11.104	VV	37	554	0.10%	0.016%
61	11.181	11.104	11.219	VV	28	881	0.16%	0.025%
62	11.236	11.219	11.256	VV	29	346	0.06%	0.010%
63	11.298	11.256	11.317	VV	23	501	0.09%	0.014%
64	11.339	11.317	11.362	VV	29	479	0.09%	0.014%
65	11.409	11.362	11.425	VV	44	1152	0.21%	0.033%
66	11.454	11.425	11.490	VV	57	1389	0.25%	0.040%
67	11.525	11.490	11.555	VV	32	1239	0.22%	0.036%
68	11.595	11.555	11.668	VV	36	1649	0.30%	0.048%
69	11.708	11.668	11.725	VV	30	588	0.11%	0.017%
70	11.881	11.725	11.999	VV	50	4273	0.77%	0.123%
71	12.026	11.999	12.061	VV	30	727	0.13%	0.021%
72	12.110	12.061	12.202	VV	30	1934	0.35%	0.056%
73	12.335	12.202	12.442	VV	40	3689	0.66%	0.107%
74	12.592	12.442	12.658	VV	36	2069	0.37%	0.060%
75	12.779	12.658	12.829	VV	34	2344	0.42%	0.068%
76	12.897	12.829	12.930	VV	41	1801	0.32%	0.052%
77	13.053	12.930	13.113	VV	3986	173561	31.15%	5.014%
78	13.186	13.113	13.391	VV	7900	346591	62.20%	10.013%
79	13.428	13.391	13.477	VV	37	1305	0.23%	0.038%
80	13.523	13.477	13.600	VV	31	1519	0.27%	0.044%
81	13.629	13.600	13.665	VV	25	730	0.13%	0.021%
82	13.705	13.665	13.741	VV	38	872	0.16%	0.025%
83	13.913	13.741	14.038	PV	7422	331616	59.52%	9.580%
84	14.145	14.038	14.300	VV	217	21448	3.85%	0.620%
85	14.431	14.300	14.620	VV	104	8256	1.48%	0.239%
86	14.661	14.620	14.732	VV	27	724	0.13%	0.021%
87	14.806	14.732	14.885	PV	27	1312	0.24%	0.038%
88	15.059	14.885	15.263	VV	143	9474	1.70%	0.274%
89	15.317	15.263	15.357	VV	54	1802	0.32%	0.052%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/25/2023
Supervised By :Ankita Jodhani 05/25/2023

					rters	
90	15.482	15.357	15.586	VV	71	6060
91	15.642	15.586	15.686	PV	35	1058
92	15.702	15.686	15.728	VV	35	502
93	15.770	15.728	15.881	VV	36	888
94	15.978	15.881	16.069	PV	117	5628
95	16.188	16.069	16.343	PV	7449	310579

Instrument :
FID_B
ClientSampleId :
WC14MS

1.09% 0.175%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/25/2023
Supervised By :Ankita Jodhani 05/25/2023

Sum of corrected areas: 3461445

FB051123.M Thu May 25 07:36:16 2023