

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB052522\
Data File : FB027299.D
Signal(s) : FID2B.CH
Acq On : 25 May 2022 11:52
Sample : BSF0525S1
Misc : 5.06G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.703	4.533	4.849	BV	5922	444855	80.50%	13.609%
2	7.420	7.218	7.609	PV	5798	492277	89.08%	15.060%
3	7.746	7.634	7.814	VV	2833	152394	27.58%	4.662%
4	7.884	7.814	8.002	VV	3760	192128	34.77%	5.878%
5	8.789	8.622	8.929	BV	3879	213269	38.59%	6.524%
6	10.616	10.498	10.747	BV	12169	552646	100.00%	16.907%
7	13.052	12.805	13.114	BV	4011	175743	31.80%	5.376%
8	13.185	13.114	13.357	VB	7874	347344	62.85%	10.626%
9	13.911	13.679	14.269	BB	7663	346712	62.74%	10.607%
10	16.186	16.070	16.351	VBA	8383	351405	63.59%	10.750%

Sum of corrected areas: 3268775

FB051022.M Wed May 25 23:55:46 2022