

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB052522\
Data File : FB027306.D
Signal(s) : FID2B.CH
Acq On : 25 May 2022 16:22
Sample : BSF0525S2
Misc : 5.02G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.704	4.543	4.849	VV	6112	468218	78.50%	13.451%
2	7.422	7.241	7.610	VV	6229	524456	87.93%	15.066%
3	7.748	7.624	7.814	VV	2908	156478	26.24%	4.495%
4	7.885	7.814	8.024	VV	4158	210863	35.35%	6.057%
5	8.790	8.636	8.945	BV	4711	259773	43.55%	7.463%
6	10.618	10.519	10.903	VB	12930	596447	100.00%	17.134%
7	13.055	12.846	13.116	BV	4185	183191	30.71%	5.263%
8	13.188	13.116	13.374	VV	8227	362842	60.83%	10.423%
9	13.914	13.731	14.026	PV	8016	358530	60.11%	10.300%
10	16.189	16.052	16.335	PV	8611	360240	60.40%	10.349%

Sum of corrected areas: 3481037

FB051022.M Wed May 25 23:56:28 2022