

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB053122\
 Data File : FB027327.D
 Signal(s) : FID2B.CH
 Acq On : 31 May 2022 12:32
 Sample : I.BLK
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB051022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.926	4.795	5.135	PV	539	40740	18.50%	8.683%
2	5.368	5.240	5.474	VV	604	36750	16.69%	7.833%
3	7.768	7.612	7.821	PV	79	3624	1.65%	0.772%
4	8.795	8.652	8.956	PV	3980	220203	100.00%	46.932%
5	9.944	9.819	9.978	PV	62	2999	1.36%	0.639%
6	10.309	10.262	10.315	PV	25	561	0.25%	0.120%
7	10.325	10.315	10.341	VV	37	310	0.14%	0.066%
8	10.626	10.506	10.723	BV	769	33664	15.29%	7.175%
9	13.060	12.956	13.114	PV	235	9985	4.53%	2.128%
10	13.192	13.114	13.315	VV	854	38697	17.57%	8.248%
11	13.927	13.836	13.976	PV	240	9626	4.37%	2.052%
12	13.988	13.976	13.998	VV	39	320	0.15%	0.068%
13	14.046	13.998	14.058	VV	82	1770	0.80%	0.377%
14	14.068	14.058	14.108	VB	65	1093	0.50%	0.233%
15	15.072	14.949	15.182	VV	229	16667	7.57%	3.552%
16	15.413	15.305	15.477	PV	262	10576	4.80%	2.254%
17	15.975	15.843	16.081	VV	210	14714	6.68%	3.136%
18	16.198	16.081	16.304	VV	587	26895	12.21%	5.732%
Sum of corrected areas:							469194	

FB051022.M Wed Jun 01 09:54:42 2022