

Instrument :  
FID\_B  
LabSampleId :  
5 GRO STD

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB060221\  
Data File : FB025812.D  
Signal(s) : FID2B.CH  
Acq On : 2 Jun 2021 11:49  
Sample : 5 GRO STD  
Misc :  
ALS Vial : 1 Sample Multiplier: 1

Manual Integrations  
APPROVED

Ankita  
6/3/2021 9:39:38 AM

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB060221.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 5.207       | 5.060        | 5.328      | BV       | 3017           | 210731       | 70.86%         | 13.221%       |
| 2         | 7.887       | 7.696        | 8.078      | BV       | 2239           | 179957       | 60.51%         | 11.290%       |
| 3         | 8.206       | 8.078        | 8.281      | VV       | 1638           | 86263        | 29.01%         | 5.412%        |
| 4         | 8.356       | 8.281        | 8.476      | VB       | 2183           | 107909       | 36.29%         | 6.770%        |
| 5         | 9.226       | 9.071        | 9.386      | BB       | 2385           | 128287       | 43.14%         | 8.048%        |
| 6         | 11.042      | 10.939       | 11.160     | PV       | 6748           | 297389       | 100.00%        | 18.657%       |
| 7         | 13.445      | 13.264       | 13.506     | BV       | 2238           | 94926        | 31.92%         | 5.955%        |
| 8         | 13.575      | 13.506       | 13.732     | VB       | 4369           | 187183       | 62.94%         | 11.743%       |
| 9         | 14.296      | 14.148       | 14.389     | M        | 4138           | 179739       | 60.44%         | 11.276%       |
| 10        | 16.549      | 16.415       | 16.660     | BB       | 2961           | 121557       | 40.87%         | 7.626%        |

Sum of corrected areas: 1593940

FB060221.M Wed Jun 02 15:24:09 2021