

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB060421\
 Data File : FB025843.D
 Signal(s) : FID2B.CH
 Acq On : 4 Jun 2021 13:45
 Sample : M2597-01
 Misc : 5.00g/5.00ml DI WATER
 ALS Vial : 7 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060221.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.166	5.021	5.274	BV	59	3797	0.94%	0.353%
2	6.143	6.001	6.273	PV	32	3044	0.75%	0.283%
3	6.287	6.273	6.323	VV	13	312	0.08%	0.029%
4	6.333	6.323	6.352	VV	12	157	0.04%	0.015%
5	6.372	6.352	6.424	VV	11	331	0.08%	0.031%
6	6.459	6.424	6.466	PV	8	91	0.02%	0.008%
7	6.558	6.466	6.588	VV	28	1352	0.33%	0.126%
8	6.629	6.588	6.644	VV	23	651	0.16%	0.060%
9	6.653	6.644	6.705	VB	17	311	0.08%	0.029%
10	6.838	6.722	6.958	BV	104	6809	1.68%	0.633%
11	6.967	6.958	6.977	VV	9	68	0.02%	0.006%
12	6.985	6.977	7.013	VV	11	109	0.03%	0.010%
13	7.023	7.013	7.036	PV	9	45	0.01%	0.004%
14	7.247	7.036	7.445	PV	245	25863	6.38%	2.404%
15	7.554	7.445	7.703	VV	57	4961	1.22%	0.461%
16	7.838	7.703	7.917	PV	86	5682	1.40%	0.528%
17	7.924	7.917	7.986	VB	24	429	0.11%	0.040%
18	8.082	7.989	8.118	BV	35	1521	0.38%	0.141%
19	8.195	8.118	8.250	VV	58	3451	0.85%	0.321%
20	8.343	8.250	8.428	VV	138	7210	1.78%	0.670%
21	8.500	8.428	8.509	VV	28	809	0.20%	0.075%
22	8.517	8.509	8.526	VV	23	207	0.05%	0.019%
23	8.535	8.526	8.578	VV	21	465	0.11%	0.043%
24	8.587	8.578	8.604	VV	6	69	0.02%	0.006%
25	8.698	8.604	8.787	VB	24	1266	0.31%	0.118%
26	8.842	8.796	8.871	BV	6	133	0.03%	0.012%
27	8.883	8.871	8.939	VB	7	139	0.03%	0.013%
28	8.981	8.960	9.004	BV	9	130	0.03%	0.012%
29	9.020	9.004	9.035	VV	11	88	0.02%	0.008%
30	9.217	9.035	9.394	PV	7494	405382	100.00%	37.675%
31	9.402	9.394	9.435	VV	13	241	0.06%	0.022%
32	9.586	9.435	9.703	VV	43	3858	0.95%	0.359%
33	9.819	9.703	9.994	VV	119	10206	2.52%	0.948%
34	10.180	9.994	10.275	VV	76	7356	1.81%	0.684%
35	10.315	10.275	10.457	VV	39	2013	0.50%	0.187%
36	10.482	10.457	10.502	PV	7	118	0.03%	0.011%

					rteres			
37	10.749	10.502	10.939	VV	186	23616	5.83%	2.195%
38	11.207	11.148	11.302	VV	117	6912	1.70%	0.642%
39	11.363	11.302	11.396	VV	55	2544	0.63%	0.236%
40	11.407	11.396	11.496	VV	52	1886	0.47%	0.175%
41	11.559	11.496	11.601	VV	39	1971	0.49%	0.183%
42	11.675	11.601	11.728	VV	58	3593	0.89%	0.334%
43	11.823	11.728	11.991	VV	175	17431	4.30%	1.620%
44	12.163	11.991	12.214	VV	177	14886	3.67%	1.383%
45	12.264	12.214	12.371	VV	264	13866	3.42%	1.289%
46	12.475	12.371	12.649	VV	184	11913	2.94%	1.107%
47	12.714	12.649	12.818	VV	36	2055	0.51%	0.191%
48	12.948	12.818	13.021	PV	20	979	0.24%	0.091%
49	13.145	13.021	13.303	VV	174	11887	2.93%	1.105%
50	13.445	13.303	13.504	VV	703	37212	9.18%	3.458%
51	13.908	13.807	14.056	PV	260	17570	4.33%	1.633%
52	14.183	14.056	14.229	VV	182	11064	2.73%	1.028%
53	14.302	14.229	14.379	VV	705	32710	8.07%	3.040%
54	14.482	14.379	14.666	VV	561	50366	12.42%	4.681%
55	14.785	14.666	14.866	VV	227	13283	3.28%	1.234%
56	14.919	14.866	14.993	VV	41	1540	0.38%	0.143%
57	15.073	14.993	15.130	PV	42	1728	0.43%	0.161%
58	15.218	15.130	15.331	PV	187	12749	3.15%	1.185%
59	15.419	15.331	15.463	VV	370	17668	4.36%	1.642%
60	15.563	15.463	15.707	VV	404	48058	11.86%	4.466%
61	15.786	15.707	15.810	VV	670	30653	7.56%	2.849%
62	15.858	15.810	15.960	VV	914	49836	12.29%	4.632%
63	16.023	15.960	16.094	VV	173	10040	2.48%	0.933%
64	16.159	16.094	16.219	VV	161	7812	1.93%	0.726%
65	16.302	16.219	16.389	VV	396	21826	5.38%	2.028%
66	16.404	16.389	16.467	VV	92	3500	0.86%	0.325%
67	16.555	16.467	16.673	VV	863	53061	13.09%	4.931%
68	16.755	16.673	16.834	VV	539	33159	8.18%	3.082%
69	16.896	16.834	17.001	VBA	166	9951	2.45%	0.925%
Sum of corrected areas:						1076000		

FB060221.M Fri Jun 04 22:50:49 2021