

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB060625\
Data File : FB031900.D
Signal(s) : FID2B.CH
Acq On : 6 Jun 2025 15:26
Sample : 20 PPB GRO STD
Misc : 4.80G/5.00 ML DI WATER
ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB053025.M
Title :

Signal : FID2B.CH

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.554	4.861	BV	5995	427813	77.02%	13.844%
2	7.428	7.200	7.633	PV	5603	474886	85.49%	15.368%
3	7.760	7.633	7.827	PV	2569	135562	24.41%	4.387%
4	7.899	7.827	8.003	VV	3356	170917	30.77%	5.531%
5	8.801	8.609	9.085	BB	4334	245787	44.25%	7.954%
6	10.630	10.494	10.939	VV	11262	555466	100.00%	17.975%
7	13.066	12.963	13.126	VV	3550	161211	29.02%	5.217%
8	13.198	13.126	13.374	VV	6997	335669	60.43%	10.863%
9	13.926	13.742	14.078	PV	6687	318698	57.37%	10.313%
10	16.200	16.060	16.330	BV	6078	264126	47.55%	8.547%

Sum of corrected areas: 3090135

FB053025.M Fri Jun 06 23:22:49 2025