

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB060921\
 Data File : FB025862.D
 Signal(s) : FID2B.CH
 Acq On : 9 Jun 2021 18:05
 Sample : M2638-02MS
 Misc : 5.00g/5.00ml DI WATER
 ALS Vial : 13 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060921.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.208	5.005	5.349	BV	9651	717924	63.66%	12.774%
2	6.125	6.043	6.182	PV	20	850	0.08%	0.015%
3	6.194	6.182	6.249	VV	16	374	0.03%	0.007%
4	6.260	6.249	6.319	VV	6	147	0.01%	0.003%
5	6.416	6.319	6.495	PV	8	349	0.03%	0.006%
6	6.655	6.495	6.731	PV	26	2092	0.19%	0.037%
7	6.871	6.731	7.069	VV	55	4569	0.41%	0.081%
8	7.263	7.069	7.458	PV	185	19456	1.73%	0.346%
9	7.569	7.458	7.698	VV	44	4396	0.39%	0.078%
10	7.898	7.698	8.098	VV	5796	505843	44.85%	9.000%
11	8.212	8.098	8.288	VV	5962	322469	28.59%	5.738%
12	8.364	8.288	8.666	VV	8215	416504	36.93%	7.411%
13	8.730	8.666	8.885	VV	34	3141	0.28%	0.056%
14	8.896	8.885	8.905	VV	14	164	0.01%	0.003%
15	8.918	8.905	8.927	VV	17	187	0.02%	0.003%
16	8.940	8.927	8.968	VV	19	362	0.03%	0.006%
17	8.977	8.968	9.066	VV	15	632	0.06%	0.011%
18	9.235	9.066	9.464	VV	8409	452445	40.12%	8.050%
19	9.571	9.464	9.735	VV	26	2898	0.26%	0.052%
20	9.848	9.735	10.047	VV	60	5787	0.51%	0.103%
21	10.205	10.047	10.242	VV	60	3880	0.34%	0.069%
22	10.322	10.242	10.470	VV	101	7541	0.67%	0.134%
23	10.479	10.470	10.531	VV	8	166	0.01%	0.003%
24	10.782	10.531	10.924	VV	283	26963	2.39%	0.480%
25	11.051	10.924	11.323	VV	25315	1127821	100.00%	20.067%
26	11.420	11.323	11.473	VV	16	857	0.08%	0.015%
27	11.832	11.473	12.039	VV	217	21655	1.92%	0.385%
28	12.086	12.039	12.115	VV	10	352	0.03%	0.006%
29	12.169	12.115	12.196	VV	21	787	0.07%	0.014%
30	12.207	12.196	12.223	VV	21	305	0.03%	0.005%
31	12.283	12.223	12.407	VV	36	1973	0.17%	0.035%
32	12.476	12.407	12.568	VV	23	1343	0.12%	0.024%
33	12.582	12.568	12.596	VV	9	146	0.01%	0.003%
34	12.679	12.596	12.839	VV	19	1535	0.14%	0.027%
35	12.897	12.839	12.975	PV	8	236	0.02%	0.004%
36	13.146	12.975	13.287	PV	38	2394	0.21%	0.043%

					rters				
37	13.298	13.287	13.315	VV	11	156	0.01%	0.003%	
38	13.455	13.315	13.515	VV	7844	332278	29.46%	5.912%	
39	13.585	13.515	13.749	VV	15255	651034	57.72%	11.584%	
40	13.761	13.749	13.787	VV	14	226	0.02%	0.004%	
41	13.810	13.787	13.843	VV	16	289	0.03%	0.005%	
42	13.939	13.843	14.094	VV	14	1064	0.09%	0.019%	
43	14.307	14.094	14.422	PV	13653	590946	52.40%	10.515%	
44	14.470	14.422	14.667	VV	206	17086	1.51%	0.304%	
45	14.774	14.667	14.840	PV	26	1522	0.13%	0.027%	
46	14.918	14.840	15.068	VV	58	3631	0.32%	0.065%	
47	15.083	15.068	15.112	VV	5	131	0.01%	0.002%	
48	15.290	15.112	15.346	VV	63	3958	0.35%	0.070%	
49	15.410	15.346	15.521	VV	45	3557	0.32%	0.063%	
50	15.599	15.521	15.658	VV	47	2786	0.25%	0.050%	
51	15.782	15.658	15.975	VV	145	14080	1.25%	0.251%	
52	16.075	15.975	16.181	VV	20	1332	0.12%	0.024%	
53	16.321	16.181	16.448	PV	163	9097	0.81%	0.162%	
54	16.558	16.448	16.671	VV	7793	319753	28.35%	5.689%	
55	16.790	16.671	16.944	VV	119	8743	0.78%	0.156%	

Sum of corrected areas: 5620216

FB060921.M Thu Jun 10 09:50:53 2021